





























































	<b>38810RNA004</b>			<b>10PA15C</b>	
	Вес:	6 кг		Вес:	7,3 кг
	Применение:	HONDA Civic VIII 1.8 2006-2012		Применение:	JOHN DEERE 2254 Combine 1997-2001; Forage Harvester 6610(6710,6810,6910) 1991-
	Кросс:	38800-RNC-2010,38800-RNA-E010,38800-RNC-2020-M2,38800-RSA-E010-M2,38810-RNA-004,38810-RNA-014,38810-RSA-E01,38810-RSA-E03,TRSE07-3408,TRSE07-3410,TRSE07-3429,TRSE07-3430,TRSE07-3430A,TRSE07-3439,TRSE07-4903,TRSE07-4905,TRSE07-4905J		Кросс:	447200-0096,447100-2990,447200-0090,447300-1080,AZ44541
Техническая инф.:	PV7 Ø100, Sanden TRSE07 4-point sideways fixation, 1pin plug	Техническая инф.:	2-Gr. Ø132, Denso 10PA15C		
	<b>13232307</b>			<b>38810PNB006</b>	
	Вес:	6 кг		Вес:	6,2 кг
	Применение:	OPHEL Insignia 2.0 CDTI 2008-		Применение:	HONDA CR-V II 2.0i 2002-2006; HONDA CR-V II 2.4i 2002-2006;
	Кросс:	6854112,13232307,13232309,13262839,PXE16-1605F,PXE16-1605P,PXE16-1608,PXE16-1608P		Кросс:	HS-110R-2V,38810-PNB-006
Техническая инф.:	PV6 Ø120, Sanden PXE16,3 point fixation 2 pin male oval plug	Техническая инф.:	PV7 Ø100, Keihin HS110R 4-point sideways fixation		
	<b>38810RZYA01</b>			<b>447203955</b>	
	Вес:	6 кг		Вес:	5,8 кг
	Применение:	HONDA CR-V III 2.4i Vtec 2007-		Применение:	TOYOTA RAV4 II 2.0i VVT-i 2001-2006
	Кросс:	38800-RZY-A010-M2,38800-RZY-A01,38810-RZY-A01,TRSE09-3410,TRSE09-3752,TRSE09-3753,TRSE09-4990,TRSE09-4991		Кросс:	47180-7821,447170-7710,447180-7820,447220-3930,447220-3931,447220-3932,447220-3933,447220-3934,447220-3935,88310-42180,88320-42080
Техническая инф.:	PV7 Ø106, Sanden TRSE09 4-point sideways fixation,3 pin plug	Техническая инф.:	PV7 Ø130, Denso 10S15L 3-pin triangle plug		
	<b>4472203954</b>			<b>5K0820803</b>	
	Вес:	6,2 кг		Вес:	4,8 кг
	Применение:	TOYOTA Avensis 1.6 VVT-i 2000-2003, Avensis 1.8 2000-2003, Corolla 1.8 2004-2007, RAV 4 II 1.8 VVT-i 2001-2006		Применение:	AUDI A3 1.2 TFSI 2013-, SEAT Altea 1.2 TSI 2010-, SKODA Fabia II 1.2 TDI 2010-2014 VW CC 2.0 TDI 2012-,
	Кросс:	447220-3611,447170-7650,447220-3612,447220-3613,447220-3614,447220-3913,447220-3914,447220-3915,447220-3953,447220-3954,447220-4351,88310-42200,88310-63020		Кросс:	447150-5470,01140562,01141228,01141475,12280PSS,1K0820808A,1K0820859N,1K0820859T,447150-1930,447150-1931,447150-1932,447150-933,447150-1934,447150-1936,447150-1937,447150-2870,447150-2871,447150-2872,447150-2874,447150-3,447150-3372,447150-3373,447150-4201,447150-4202,447150-4204,447150-4205,447150-4206,447150-4207,447150-6030,447150-8030,447190-5980,447190-5981,447190-5982,447190-5983,447190-5984,447190-5985,447190-5986,447190-5987,447190-5988,447190-5989,447190-9200,447190-9201,447190-9202,447190-9203,447190-9205,447190-9206,447190-9207,447190-9208,447190-9209,5-447180-275,5-447180-353,5K0820803,5K0820803A,5K0820803E,5N0820803,5N0820803A,5N0820803C,5N0820803E,5N0820803F,5N0820803G,5N820803H,5Q0820803,5Q0820803A,5Q0820803B,5Q0820803C,5Q0820803D,5Q0820803E,5Q0820803F,8J0260805,8J0260805A,PXE14-1701P,PXE14-1702P,PXE14-1706P,PXE14-1707P,PXE14-1720P,PXE14-1721P,PXE14-1722F,PXE14-1722P,PXE14-1737F,PXE14-1748F,PXE14-1748P,TSP0155997
Техническая инф.:	PV6Ø140,Denso 10S15L,1(3)pin connector	Техническая инф.:	PV6 Ø110, Denso 6SEU14C/Sanden PXE14, 3-point sideways fixation, connector in valve in the rear bracket		
	<b>4472204303</b>			<b>64509145351</b>	
	Вес:	5,8 кг		Вес:	4,3 кг
	Применение:	TOYOTA Avensis Verso 2.0 D-4D 2001-2005, Picnic 2.2 D 1997-2001, RAV 4 II 2.0 D-4D, 2001-2005, Sportsvan I 2.2 TD 1997-2001		Применение:	BMW 116i 1.6 2004-2011, 118i 2.0 2004-2007, 316i 1.6 2005-, 320i 2.0 2005-2007, X1 2.0 sDrive 18i 2011-
	Кросс:	447220-3241,447220-3240,447220-3242,447220-3243,447220-3244,447220-3400,447220-3401,447220-3403,447220-4301,447220-4302,447220-4303,88310-42210,88310-44140,88320-28410,88320-42110,88320-44140		Кросс:	A4101541A027,9145351,9156821,9182793,64509145351,64509156821,64526915380,64529145351,64529156821,64529182793,A4101541A020,A4101541A021,A4101541A022,A4101541A023,A4101541A026,A4101541A028,A4101541A050
Техническая инф.:	PV5Ø120,Denso 10S15L,3-pin triangle plug	Техническая инф.:	PV6 Ø110, Calsonic CSE613C, 3-point sideways fixation, oval 2-pin plug, valve only, PV6 Ø110, Calsonic CSE613C, 3-point sideways fixation, oval 2-pin plug, PV6 Ø110, Denso 6SEU14A, 2x2 holes in line fixation 2 pin plug, valve controlled unit		
	<b>64509121762</b>			<b>64526917866</b>	
	Вес:	6,92 кг		Вес:	7 кг
	Применение:	BMW X5 3.0xDrive 30d 2008-, X5 3.0d 2007-2009, X6 3.0 xDrive 35d 2008-, X6 3.0 xDrive 40d 2010-		Применение:	BMW X5 3.0d 2001-2003, X5 3.0i 2000-2006, X5 4.4i 2000-2003
	Кросс:	64509121762-01, 64509121762-02, 64529121761-04, 9121762, 9185146, 9195971, 64509121762, 64509121762, 64529121761, 64529185146, 64529195971, A41011A90011, A41011A90013, A41011A90020E, A41011A90021, A41011A90022, A41011A90023, A41011A90026		Кросс:	64506917866, 3D381-45010, 64526917866
Техническая инф.:	PV4Ø110, Calsonic CSE717C, clutch/valve	Техническая инф.:	PV5 Ø110, Denso 10S17C, 3-point fixation; PV5 Ø110, Calsonic CSV17, 3-point sideways fixation		











	<b>64529205096</b>			<b>6611303115</b>	
	Вес:	7,13 кг		Вес:	7,9 кг
	Применение:	BMW 740i 3.0 2008-, X6 3.0 xDrive 35i 2008-		Применение:	DAEWOO Korando 2.3 D 1999-, Korando 3.2 24V 1999-,SSANGYONG Korando 2.0 1997-05
	Кросс:	64526983398,64529185147,64529195147,64529195974,64529205096,A4101159002,A4101159009,A4101159C001,A4101159C002,A4101159C01200,A4101159C020		Кросс:	506021-2704,506021-2700,506021-2702,506021-2705,506021-2708,506021-5708,506221-1520,506221-1521,6611303110,6611303115,6611303615,6641202115
Техническая инф.:	PV8 Ø110, Calsonic Kansei CSE717, 3-point fixation, valve and clutch	Техническая инф.:	PV6 Ø142, Zexel DKV-14C		
	<b>73111SA001</b>			<b>73111SA010</b>	
	Вес:	5,5 кг		Вес:	5,21 кг
	Применение:	SUBARU Forester 2.0 2003-2007,Forester 2.0 Turbo 2003-2007, Forester 2.5 2003-2007		Применение:	SUBARU Forester 2.0 Forester 2.0,Forester 2.5 2008-2013,Impreza 1.5 R 2008-, Impreza 2.0 2011-,Impreza 2.0 R 2008-,Impreza 2.5 2007-, Impreza 2.5 WRX 2008-, Impreza 2.5 WRX 2010-
	Кросс:	506021-6432,506021-6423,506021-6433,506021-6435,506021-7231,506221-4510 73110-SA000,73111-SA000,73111-SA001,20017207A		Кросс:	73111-FG001,506021-7562,506021-7572,73111-FG000,73111-FG002,73111-SA010,20007584A,20011100A
Техническая инф.:	PV4 Ø125, Zexel, 3-point sideways fixation	Техническая инф.:	PV4 Ø100, Zexel DKV10R		
	<b>7813A215</b>			<b>8200436108</b>	
	Вес:	4,2 кг		Вес:	6,4 кг
	Применение:	CITROEN C-CROSSER 2.2 Hdi 2009-,MITSUBISHI ASX 1.8 2010-, Lancer VIII 1.8 2009-, Outlander III 2.2 DI-D2012-, PEUGEOT 4007 2.2 Hdi 2009-		Применение:	RENAULT Espace IV 1.9 dCi 2002-, Espace IV 2.0 2002-, Espace IV 2.0 Turbo 2002-, Espace IV 2.2 dCi 2002-
	Кросс:	AKS200A413D,7813A212,7813A215,7813A330,7813A351,7813A352,7813A411,7813A418,7813A419,7813A426,7813A428,AKS200A402A,AKS200A402C,AKS200A402D,AKS200A402J,AKS200A402T,AKS200A407C,AKS200A407D,AKS200A407J,AKS200A411G,AKS200A413C,AKS200A413J,AKS201A406A,AKT200A405C		Кросс:	01140136,1140136,01140552,1140552,01140726,1140726 8200436108,8200678506,8200885261
Техническая инф.:	PV6 Ø95, Mitsubishi QS90, 1-pin round plug	Техническая инф.:	PV7 Ø110, Delphi CV7, 3-point fixation, Inlet: 21.3mm, Out: 15.5mm		
	<b>8832060700</b>			<b>8W8319D629AC</b>	
	Вес:	7 кг.		Вес:	6 кг.
	Применение:	TOYOTA Land Cruiser 4.2 TD 1995-1998		Применение:	JAGUAR XF 5.0 V8 2009-, XK8 4.0 2009-, LAND ROVER 2009-
	Кросс:	447200-1710,447170-3700,447200-1711,447200-1712,447200-2173-M01,447200-5402,88310-6A010,88320-60700		Кросс:	PXE16-1611F,8W83-19D629-AC,PXE16-1611P
Техническая инф.:	PV4 Ø120, Denso 10PA15L, 4-point sideway fixation	Техническая инф.:	PV6 Ø110, Sanden,PXE16, 3point fixtion		
	<b>926004EA0A</b>			<b>92600AU010</b>	
	Вес:	5,74 кг.		Вес:	6,8 кг.
	Применение:	NISSAN Qashqai III 1.5 dCi 2013-, RENAULT Grand Scénic III 1.5 dCi 2014-, Kadjar 1.5 dCi 2015-,Megane III 1.5 dCi 2014-, Scénic III 1.5 dCi 2014-		Применение:	NISSAN Primera 2.0 2002-2008, X-TRAIL I 2.0 2001-2007,X-TRAIL I 2.5 2003-2007
	Кросс:	447160-6933,447160-6930,447160-6931,447160-6932,92600-4EA0A		Кросс:	3K610-45010,3K600-45010,3K611-45010,3P300-45010,92600-AU000,92600-AU010,92600-WF700
Техническая инф.:	PV6 Ø125, Denso 65B14C, valve and clutch	Техническая инф.:	PV6 Ø124, Calsonic CSV-13, 4-point sideways fixation, connections in rear bracket		
	<b>92600JD200</b>			<b>92600JD700</b>	
	Вес:	6 кг.		Вес:	6 кг.
	Применение:	NISSAN Qashqai I 2.0 2007-, RENAULT Clio III 2.0 2006-2012,2008-		Применение:	NISSAN Qashqai I 1.6 2007-2013,Qashqai I 1.6 dCi 2011-2013; RENAULT Megane II 2.0 dCi 2007-2009,Scénic II 2.0 dCi 2005-2009
	Кросс:	01140220,01140556,0733DPSS,1140733,8200421255,8200688814,8200892677,92600-1DB0A,92600-1DB3A,92600-BR20A,92600-JD200,92600-JD200A,92600-JD200E		Кросс:	01140090,1140090,01140091,1140091,1140219,01140219,01140548,0731DPSS,1140548,1140667,01140667,01140668,1140668,01140731,1140731,01140997,7711368525,8200356576,8200669284,8200855146,92600-JD000,92600-JD700,92600-JD70B,92600-JD71A,92600-JD71B,92600-JD74A
Техническая инф.:	PV6 Ø115, Harrison CVCS, 3-point fixation sideway	Техническая инф.:	PV7 Ø115, Delphi CVCS5, 3 point fixation; PV7 Ø115, Delphi CVCS5 / Calsonic CSV617, 3 point fixation		
	<b>92600JD73A</b>			<b>9520065DF1</b>	
	Вес:	6,64 кг.		Вес:	4,9 кг.
	Применение:	NISSAN Qashqai I 1.6 2010-2013, Qashqai I 1.6 dCi 2011-2013,Qashqai I 2.0 dCi2011-2013		Применение:	SUZUKI Grand Vitara I 2.0 HDI 2001-2004,Grand Vitara II 2.5 V62004-,Grand Vitara II 2.7 V6 2004-, Liana 1.3 2001-, Liana 1.6 2001-
	Кросс:	92600-BB0AA,92600-BB00A,92600-BB01A,92600-BBOCA,92600-BB60A,92600-BB6BA,92600-BRO0A,92600-BR70A,92600-BR7AA,92600-ID73A,A4101121C010		Кросс:	447170-8672,447170-7260,447220-3384,447220-3393,447220-3394,447220-4140,447220-4141,447220-4142 447220-4143,447220-4144,447220-4145,447220-4570,447220-4571,447220-4572,447220-5801,447220-5811 95200-65DA0,95200-65DA1,95200-65DC1,95200-65DF1,95200-65DH0,95200-65DJ0,95200-67D30
Техническая инф.:	PV7 0115, Calsonic CSV617	Техническая инф.:	PV4 Ø110, Denso 10S13C, 4-point sideways fixation		




	<p align="center"><b>96191807</b></p> <p><b>Вес:</b> 6,4 кг.</p> <p><b>Применение:</b> DAEWOO Espero 1.5 1997-1999, Espero 1.8 1995-1999, Espero 2.0 1995-1999, Nexia 1.5 1995-1997</p> <p><b>Кросс:</b> 5110547,5110549,96191807,96191808</p> <p><b>Техническая инф.:</b> 1-Gr. Ø132, Harrison V5, 4-point sideways fixation</p>		<p align="center"><b>96409087</b></p> <p><b>Вес:</b> 6 кг.</p> <p><b>Применение:</b> CHEVROLET Cruze 2.0 CDI 2009-, Epica 2.0 2006-, Epica 2.0 2005-2006</p> <p><b>Кросс:</b> 715113,715324,715924,715926,716941,730063,730067,730071,730212,95954659,96271358,96409087,96801525</p> <p><b>Техническая инф.:</b> PV6 Ø120, Delphi 4-point fixation oval 2 pin plug</p>
	<p align="center"><b>96484932</b></p> <p><b>Вес:</b> 6,8 кг.</p> <p><b>Применение:</b> CHEVROLET Aveo 1.4 2006-, Lacetti 1.4 2005-, Lacetti 1.6 2005-, Nubira 1.6 2005-, Nubira 1.8 2005-, DAEWOO Lacetti 1.6 2004-2005</p> <p><b>Кросс:</b> 700772,715051,715372,715399,730070,1135257,25187014,96442920,96473633,96484932,96539388,96804280,96992888</p> <p><b>Техническая инф.:</b> PV6 Ø119, Harrison V5, 4-point fixation</p>		<p align="center"><b>96528118</b></p> <p><b>Вес:</b> 4,2 кг.</p> <p><b>Применение:</b> CHEVROLET Matiz 0.8 2005-, Matiz 1.0 2005-, DAEWOO Matiz 0.8 1998-2005, Matiz 1.0 2003-2005</p> <p><b>Кросс:</b> 717656,717779,717855,720084,720970,9374120,7,96256053,96324801,96406677,96528117,96528118,96565233,96568208</p> <p><b>Техническая инф.:</b> PV4 Ø107, Harrison SP-10, plain Ø9 holes in fixation; PV4 Ø107, Harrison SP-10, dist. 1.-groove to fixation: 9mm</p>
	<p align="center"><b>96539388</b></p> <p><b>Вес:</b> 6,8 кг.</p> <p><b>Применение:</b> CHEVROLET Aveo 1.4 2006-, Lacetti 1.4 2005-, Lacetti 1.6 2005-, Nubira 1.6 2005-, Nubira 1.8 2005-, DAEWOO Lacetti 1.6 2004-2005</p> <p><b>Кросс:</b> 700772,715051,715372,715399,730070,1135257,25187014,96442920,96473633,96484932,96539388,96804280,96992888</p> <p><b>Техническая инф.:</b> PV6 Ø119, Harrison V5, 4-point fixation</p>		<p align="center"><b>96861885</b></p> <p><b>Вес:</b> 6 кг.</p> <p><b>Применение:</b> CHEVROLET Captiva 2.4 4WD 2006-, OPEL Antara 2.4 2006-, VAUXHALL Antara 2.4 2006-</p> <p><b>Кросс:</b> 740331,4803455,4813544,96629606,96861885,DA740331</p> <p><b>Техническая инф.:</b> PV6 Ø121, DAC SP17, 3 mounting lugs in frontbracket and 3 thread M8 in rearbracket.</p>
	<p align="center"><b>9770107500</b></p> <p><b>Вес:</b> 4,3 кг.</p> <p><b>Применение:</b> HYUNDAI 1998-</p> <p><b>Кросс:</b> 97701-02000,717733,97701-02010,97701-02200,97701-02300,97701-02310,97701-05500,97701-07500,F500-AAVAC-02,F500-QQ3AA-03,F500-QQVAD-01,F500-QQVAD-02,F500-QQVBA,</p> <p><b>Техническая инф.:</b> PV4 Ø115, HCC HS-11, 3-point fixation</p>		<p align="center"><b>977010X000</b></p> <p><b>Вес:</b> 4,7 кг.</p> <p><b>Применение:</b> KIA Picanto I 1.0 2005-2011, Picanto I 1.1 2004-2011</p> <p><b>Кросс:</b> DB2AA-04,97701-07100,97701-07110,97701-0X000,DB3AA-02,DB3AA-03,DB3AA-04,F500-DB2AA-04,F500-DB3AA-01,F500-DB3AA-02,F500-DB3AA-03,F500-DB3AA-04,F500-DB3DA-01,F500-DD3AA-04,F500-QQ7BA-01</p> <p><b>Техническая инф.:</b> PV4 Ø112, HCC HS-11</p>
	<p align="center"><b>977011C250</b></p> <p><b>Вес:</b> 6,9 кг.</p> <p><b>Применение:</b> HYUNDAI Getz 1.4 2005-2009, Getz 1.6 2002-</p> <p><b>Кросс:</b> KP1CA-04,97701-1C250,F500-KP1CA-04,F500-KP1CA-06</p> <p><b>Техническая инф.:</b> PV4 Ø133, HCC HS-15, 4-point fix., w. manifold, 31mm off-set between up/low fixation</p>		<p align="center"><b>977011E001</b></p> <p><b>Вес:</b> 6 кг.</p> <p><b>Применение:</b> HYUNDAI Accent III 1.4 2005-, Accent III 1.6 2005-</p> <p><b>Кросс:</b> F500-CB5AA-07,97701-1E001,F500-CB5AA-08,F500-CB5AA-10</p> <p><b>Техническая инф.:</b> PV4 Ø123, HCC VS16, 4-point fixation, 1 pin plug</p>
	<p align="center"><b>977011G300</b></p> <p><b>Вес:</b> 6 кг.</p> <p><b>Применение:</b> KIA Cerato I 1.6 CRDi 2005-, Rio I 1.5 CRDi 2005-</p> <p><b>Кросс:</b> 11270-28800,11270-24500,3K121-0014,97701-1G300,97701-1G310,97701-1G311</p> <p><b>Техническая инф.:</b> PV5 Ø122, Doowon (Denso) 6SEU 16C, 4-point fixation 1 pin plug</p>		<p align="center"><b>9770125200</b></p> <p><b>Вес:</b> 6 кг.</p> <p><b>Применение:</b> HYUNDAI Accent II 1.5 CRDi 2002-2005, Accent III 1.5 CRDi 2005-, Getz 1.5 CRDi 2003-</p> <p><b>Кросс:</b> F500-DEYQA-02,97701-17000,97701-1C600,97701-25200,DEYQA-02,QCVB8-01</p> <p><b>Техническая инф.:</b> PV6 Ø123, HCC HS-15, 4-point fixation sideways, dist. 1.-groove to fixation: 79mm, PV6 Ø125, HCC HS-15, 4-point fixation sideways, dist. 1.-groove to fixation: 79mm</p>
	<p align="center"><b>9770126011</b></p> <p><b>Вес:</b> 6 кг.</p> <p><b>Применение:</b> HYUNDA Santa Fe I 2.0 2001-2006, Santa Fe I 2.0 CRDi 2001-2006, Santa Fe I 2.4 2001-2006, Trajet 2.0 16V 2000-2008</p> <p><b>Кросс:</b> 97701-3A571,97701-26010,97701-6011,97701-3A570,97701-3A580,97701-3A581,97701-3E400,F500-BP2AA-01,F500-MAXAA-01,F500-MAXAA-03,F500-MAXAA-04,MAXAA-1,MAXAA-03,MAXAA-04</p> <p><b>Техническая инф.:</b> PV5 Ø125, HCC HS-18, 4-point fixation sideways</p>		<p align="center"><b>9770126200</b></p> <p><b>Вес:</b> 6,8 кг.</p> <p><b>Применение:</b> HYUNDAI Santa Fe I 2.0 01-2006, Santa Fe I 2.0 CRDi 01-2006, Santa Fe I 2.7 01-2006, Trajet 2.0 CRDi 01-2008, Trajet 2.7 V6 00-2008</p> <p><b>Кросс:</b> BBWB8-06,97701-26200,97701-26300,97701-38170,97701-38171,97701-39180,97701-39181,97701-3A470,97701-3A471,97701-3A480,97701-3A651,97701-3A670,97701-3A680,97701-3A682,AJWB8-07,BBWB8-02,BBWB8-03,BBWB8-07,BBWB8-08,CAWAB-05,F500-AJWBA-07,F500-AJWB8-04,F500-AJWB8-06,F500-AJWB8-07,F500-AJWCA-03,F500-AJWCA-05,F500-AJWCB-02,F500-AJWCB-04,F500-AJWCB-05,F500-AJWCB-07,F500-BBWB8-02,F500-BBWB8-03,F500-BBWB8-04,F500-BBWB8-06,F500-BBWB8-07,F500-BBWB8-08,F500-BFWBC-09,F500-CAWAB-05,F500-CAWAB-06,F500-CAWBA-01,F500-CAWBA-02,F500-CAWBA-03,F500-CAWBA-04,F500-CAWBA-05,F500-CAWBA-06,F500-CAWBA-07,F500-CAWBA-08,F500-MAXBA-01,F500-MAXBA-02,F500-MAXCA-01,F500-MAXCA-02,F500-NA5DB-02,F500-NA5DB-03,F500-NA5DB-04,F500-QBVDA-01,F500-QBVDA-02,MAXBA-01,QBVDA-01,QBVDA-02</p> <p><b>Техническая инф.:</b> PV6 Ø125, HCC HS-18, 4-point fixation sideways, square plug</p>

	<b>9770126300</b>			<b>977012B101</b>	
	<b>Вес:</b>	6,8 кг.		<b>Вес:</b>	6 кг.
	<b>Применение:</b>	HYUNDAI Santa Fe I 2.0 01-2006, Santa Fe I 2.0 CRDi 01-2006, Santa Fe I 2.7 01-2006, Trajet 2.0 CRDi 01-2008, Trajet 2.7 V6 00-2008		<b>Применение:</b>	HYUNDAI Grandeur 2.2 CRDi 2006-2008, Santa Fe I 2.2 CRDi 2005-2006, Santa Fe II 2.2 CRDi 2006-2008, Sonata V 2.0 CRDi 2006-2007; KIA Magentis II 2.0 CRDi 2005-2008
	<b>Кросс:</b>	BBWBB-06,97701-26200,97701-26300,97701-38170,97701-38171,97701-39180,97701-39181,97701-3A470,97701-3A471,97701-3A480,97701-3A651,97701-3A670,97701-3A680,97701-3A682,AJWBB-07,BBWBB-02,BBWBB-03,BBWBB-07,BBWBB-08 CAWAB-05,F500-AJWBA-07,F500-AJWBB-04,F500-AJWBB-06,F500-AJWBB-07,F500-AJWCA-03,F500-AJWCA-05,F500-AJWCB-02 F500-AJWCB-04,F500-AJWCB-05,F500-AJWCB-07,F500-BBWBB-02,F500-BBWBB-03,F500-BBWBB-04,F500-BBWBB-06,F500-BBWBB-07 F500-BBWBB-08,F500-BFWBC-09,F500-CAWAB-05,F500-CAWAB-06,F500-CAWBA-01,F500-CAWBA-02,F500-CAWBA-03,F500-CAWBA-04,F500-CAWBA-05,F500-CAWBA-06,F500-CAWBA-07,F500-CAWBA-08 F500-MAXB-01,F500-MAXB-02,F500-MAXCA-01,F500-MAXCA-02,F500-NASDB-02,F500-NASDB-03,F500-NASDB-04,F500-QBVDA-01,F500-QBVDA-02,MAXBA-01 QBVDA-01,QBVDA-02		<b>Кросс:</b>	97701-3K720,97701-2B100,97701-2B101 97701-2B151,F500-DC4AC-05,F500-DC4CA-03 F500-DC4CA-05,F500-DC4CA-06,F500-DC4CA-08,F500-MA5AB-07,F500-MA5EA-01,F500-MA5EA-04,F500-MA5EA-05,F500-MA5EA-06,F500-MA5EA-07,F500-MA5EA-08,F500-MA5EB-01,F500-MA5EB-04,F500-MA5EB-05,F500-MA5EB-06,F500-MA5EB-07
<b>Техническая инф.:</b>	PV6 Ø125, HCC HS-18, 4-point fixation sideways, square plug	<b>Техническая инф.:</b>	PV6 Ø119, HCC VS18, 4-point fixation		
	<b>977012B151</b>			<b>977012B400</b>	
	<b>Вес:</b>	6 кг.		<b>Вес:</b>	6,17 кг.
	<b>Применение:</b>	HYUNDAI Grandeur 2.2 CRDi 2006-2008, Santa Fe I 2.2 CRDi 2005-2006, Santa Fe II 2.2 CRDi 2006-2008, Sonata V 2.0 CRDi 2006-2007; KIA Magentis II 2.0 CRDi 2005-2008		<b>Применение:</b>	HYUNDAI Santa Fe II 2.2 CRDi 2009-2009, Santa Fe II 2.2 CRDi 2008-2009
	<b>Кросс:</b>	97701-3K720,97701-2B100,97701-2B101 97701-2B151,F500-DC4AC-05,F500-DC4CA-03 F500-DC4CA-05,F500-DC4CA-06,F500-DC4CA-08,F500-MA5AB-07,F500-MA5EA-01,F500-MA5EA-04,F500-MA5EA-05,F500-MA5EA-06,F500-MA5EA-07,F500-MA5EA-08,F500-MA5EB-01,F500-MA5EB-04,F500-MA5EB-05,F500-MA5EB-06,F500-MA5EB-07		<b>Кросс:</b>	97701-2B400,97701-2B450,F500-MA05GA-05 F500-MA05GB-02,F500-MA5GA-03,F500-MA5GA-03P
<b>Техническая инф.:</b>	PV6 Ø119, HCC VS18, 4-point fixation	<b>Техническая инф.:</b>	PV6 Ø119, HCC RS-18, 4 point fixation		
	<b>977012C100</b>			<b>977012D500</b>	
	<b>Вес:</b>	6,7 кг.		<b>Вес:</b>	6 кг.
	<b>Применение:</b>	HYUNDAI Elantra III 1.8i 16V 2002-2006, Elantra III 2.0i 16V XD 2000-2006, Matrix 1.8 FC 2001-2004, Tucson 2.0 JM 2004-		<b>Применение:</b>	HYUNDAI Elantra III 1.6i 16V 2000-2006
	<b>Кросс:</b>	AKYBA-C2,97701-09000,97701-2C100,97701-2D100,97701-2E000,CD1BA-01,F500-AKSAB-09 F500-AKYBA-05,F500-AKYBD-02,F500-CD1BA-01,F500-CD1BA-02,F500-CD1BA-03,F500-CD1BA-05,F500-NA5BA-02,NA5BA-02,NA5BA-05		<b>Кросс:</b>	97701-2D500,16040-13500
<b>Техническая инф.:</b>	PV4 Ø122, HCC HS-15, 4-point fix., 16mm off-set between upper/lower fix. (24mm bushing)	<b>Техническая инф.:</b>	PV4 Ø119, Doowon, 4-point fixation, 1 pin plug Inlet 19.8/15.7mm.Outlet 16.8/12.8 mm		
	<b>977012D600</b>			<b>977012D700</b>	
	<b>Вес:</b>	6,7 кг.		<b>Вес:</b>	7 кг.
	<b>Применение:</b>	HYUNDAI Elantra III 2.0 CRDi 2003-2006, Tucson 2.0 CRDi 2004-2005; KIA Carens II 2.0 CRDi 2005-2006, Carens III 2.0 CRDi 2008-2012, Sportage II 2.0 CRDi 2004-2005		<b>Применение:</b>	HYUNDAI Elantra III 2.0i 16V 2000-2006, Tucson 2.0 2004-, KIA Sportage II 2.0i 16V 2004-
	<b>Кросс:</b>	16250-19100,OKZK-16-450,16250-18000 16250-18000,16250-1800K,16250-2760K 97701-10500,97701-2D600,97701-2E500		<b>Кросс:</b>	16040-2320K,16040-22800,16040-23200 16040-2320,97701-2D700
<b>Техническая инф.:</b>	PV6 Ø120, Doowon 10PA17C, 4-point fixation sideways, dist. 1. groove to fixation: 83mm	<b>Техническая инф.:</b>	PV4 Ø125, Doowon, 4-point fixation 1 pin plug		
	<b>977012E000</b>			<b>977012E200</b>	
	<b>Вес:</b>	6,7 кг.		<b>Вес:</b>	6,8 кг.
	<b>Применение:</b>	HYUNDAI Elantra III 1.8i 16V 2002-2006, Elantra III 2.0i 16V 2000-2006, Matrix 1.8 2001-, Tucson 2.0 2004-		<b>Применение:</b>	HYUNDAI Tucson 2.0 CRDi 2006-2010; KIA Sportage II 2.0 CRDi 2006-2010
	<b>Кросс:</b>	AKYBA-C2,97701-09000,97701-2C100 97701-2D100,97701-2E000,CD1BA-01 F500-AKSAB-09,F500-AKYBA-05 F500-AKYBD-02,F500-CD1BA-01 F500-CD1BA-02,F500-CD1BA-03 F500-CD1BA-05,F500-NA5BA-02 NA5BA-02,NA5BA-05		<b>Кросс:</b>	97701-2E200,F500-JD6BA-01,F500-NA5CA-01 F500-NA5CA-02,F500-NA5CA-03,F500-NA5CA-04,F500-NA5CA-05,NA5CA-01,NA5CA-02,NA5CA-03,NA5CA-04,NA5CA-05
<b>Техническая инф.:</b>	PV4 Ø122, HCC HS-15, 4-point fix., 16mm off-set between upper/lower fix. (24mm bushing)	<b>Техническая инф.:</b>	PV6 Ø119, HCC HS-18, round plug		

	<b>977012E300</b>			<b>977012E500</b>	
	Вес:	6 кг.		Вес:	6,7 кг.
	Применение:	HYUNDAI Tucson 2.7 2004-, Sportage II 2.7 2004-		Применение:	HYUNDAI Elantra III 2.0 CRDI 2003-2006, Tucson 2.0 CRDI 2004-2005; KIA Carens II 2.0 CRDI 2005-2006, Carens III 2.0 CRDI 2008-2012, Sportage II 2.0 CRDI 2004-2005
	Кросс:	16250-2430,16250-24300,97701-2E300		Кросс:	16250-19100,0K2K-16-450,16250-18000,16250-18001,16250-1800K,16250-2760K,97701-1D500,97701-2D600,97701-2E500
Техническая инф.:	PV6 Ø125, Doowon 10PA17C, 4-point fixation sideways	Техническая инф.:	PV6 Ø120, Doowon 10PA17C, 4-point fixation sideways, dist. 1. groove to fixation: 83mm		
	<b>977012F200</b>			<b>977012F500</b>	
	Вес:	6 кг.		Вес:	6,4 кг.
	Применение:	KIA Cerato I 2.0 CRDI 2004-		Применение:	KIA Cerato I 1.5 CRDI 2005-2006
	Кросс:	97701-2F200,16050-22900		Кросс:	16240-25800,97701-2F500
Техническая инф.:	PV6 Ø120, Doowon 10PA17C, 4-point fixation, round 1 pin plug	Техническая инф.:	PV5 Ø122, Doowon 10PA15C, 4-point fixation		
	<b>977012H000</b>			<b>977012H040</b>	
	Вес:	6 кг.		Вес:	6 кг.
	Применение:	HYUNDAI i30 I 1.4 2007-2012, i30 I 1.6 2007-2012; KIA Cee'd I 1.4 2006-2012, Cee'd I 1.6 2006-2012, Pro Cee'd I 1.6 2008-2012, Pro Cee'd I 1.4 2008-2012		Применение:	HYUNDAI i30 I 1.4 2007-2012, i30 I 1.6 2007-2012; KIA Cee'd I 1.4 2006-2012, Cee'd I 1.6 2006-2012, Pro Cee'd I 1.4 2008-2012, Pro Cee'd I 1.6 2008-2012
	Кросс:	97701-2H040,97701-2H000,97701-2H001,97701-2H002,F500-AN6AA-05,F500-AN6AA-07,F500-AN6AA07,F500-AN8AA-01		Кросс:	97701-2H040,97701-2H000,97701-2H001,97701-2H002,F500-AN6AA-05,F500-AN6AA-07,F500-AN6AA07,F500-AN8AA-01
Техническая инф.:	PV6 Ø124, HCC VS-16N, 4-point fixation 1 pin plug	Техническая инф.:	PV6 Ø124, HCC VS-16N, 4-point fixation 1 pin plug		
	<b>977012H100</b>			<b>977012H140</b>	
	Вес:	6,5 кг.		Вес:	6,5 кг.
	Применение:	HYUNDAI Elantra IV 2.0 2006-2011, i30 I 2.0 2007-2011; KIA Cee'd I 2.0 16V 2006-2012, Pro Cee'd I 2.0 16V 2008-2013		Применение:	YUNDAI Elantra IV 2.0 2006-2011, i30 I 2.0 FD 2007-2011; KIA Cee'd I 2.0 16V 2006-2012, Pro Cee'd I 2.0 16V 2008-2013
	Кросс:	BFWA-1372,97701-2H100,97701-2H140 AN6BA04,CB5AA-07,F500-AN6BA-04 F500-AN6BA-05,F500-AN6BA-06,F500-AN6BA04,F500-AN8BA-01,F500-AN8BA-03		Кросс:	BFWA-1372,97701-2H100,97701-2H140 AN6BA04,CB5AA-07,F500-AN6BA-04 F500-AN6BA-05,F500-AN6BA-06,F500-AN6BA04,F500-AN8BA-01,F500-AN8BA-03
Техническая инф.:	PV4 Ø125, HCC VS-16N, 4-point sideways fixation	Техническая инф.:	PV4 Ø125, HCC VS-16N, 4-point sideways fixation		
	<b>977012H202</b>			<b>977012L300</b>	
	Вес:	6 кг.		Вес:	6 кг.
	Применение:	HYUNDAI Elantra IV 1.6 CRDi 2006-, i20 1.6 CRDi PB PBT 2008-, i30 I 1.6 CRDi FD 2007-2011, Matrix 1.5 CRDi FC 2005-2010, Matrix 1.5 CRDi FC 2005-2010; KIA Cee'd I 1.6 CRDi ED 2006-2012, Pro Cee'd I 1.6 CRDi ED 2008-2012		Применение:	HYUNDAI Grandeur 2.2 CRDi TG 2008-2010, i30 I 2.0 CRDi FD 2007-2012, Santa Fe II 2.2 CRDi CM 2006-2008, Sonata V 2.0 CRDi NF 2007-2010; KIA Cee'd I 2.0 CRDi ED 2007-2012, Magentis II 2.0 CRDi MG 2008-2011, Pro Cee'd I 2.0 CRDi ED 2008-2013
	Кросс:	F500-AN6CA-06,97701-17610,97701-17611 97701-1E300,97701-2H200,97701-2H202 97701-2H240,F500-AN6CA-04,F500-AN6CA-05 F500-AN8CA-01,F500-AN8CA-03,F500-AN8CA-04,F500-CB5DA-06,F500-CB5DA-07,F500-CB5DA-13,F500-DE4DA-02,F500-DE4DA-05		Кросс:	F500-AP6DA-05,97701-1H300,97701-2L300 97701-2L302,97701-2R340,97701-3K620 97701-3K800,F500-AG7DA-02,F500-AP6DA-03 F500-DQ7CA-02,F500-DQ7CA-04,MASEA-05
Техническая инф.:	PV5 Ø123, HCC VS16, 4-point fixation, distance between mounting holes (inlet side) 90 mm; PV5 Ø123, HCC VS16, 4-point fixation	Техническая инф.:	PV6 Ø119, HCC VS-16, 4-point sideways fixation		
	<b>977012P310</b>			<b>977012R340</b>	
	Вес:	5,1 кг.		Вес:	6 кг.
	Применение:	KIA Sorento II 2.4 CVT XM 2009-2015		Применение:	HYUNDAI Grandeur 2.2 CRDi TG 2008-2010, i30 I 2.0 CRDi FD 2007-2012, Santa Fe II 2.2 CRDi CM 2006-2008, Sonata V 2.0 CRDi NF 2007-2010; KIA Cee'd I 2.0 CRDi ED 2007-2012, Magentis II 2.0 CRDi MG 2008-2011, Pro Cee'd I 2.0 CRDi ED 2008-2013
	Кросс:	11270-35200,97701-2P300,97701-2P310		Кросс:	F500-AP6DA-05,97701-1H300,97701-2L300 97701-2L302,97701-2R340,97701-3K620 97701-3K800,F500-AG7DA-02,F500-AP6DA-03,F500-DQ7CA-02,F500-DQ7CA-04,MASEA-05
Техническая инф.:	PV6 Ø119, Doowon DV16	Техническая инф.:	PV6 Ø119, HCC VS-16, 4-point sideways fixation		
	<b>977012Y100</b>			<b>977012Y600</b>	
	Вес:	7 кг.		Вес:	6,1 кг.
	Применение:	HYUNDAI ix35 1.7 CRDi LM 2010- 1685ccm D4FD-L; KIA Sportage III 1.7 CRDi SL 2011- 1685ccm D4FD-L		Применение:	HYUNDAI ix35 1.6 GDI LM 2010-; KIA Sportage III 1.6 GDI SL 2011-
	Кросс:	DX9FA-04,97701-2Y100,F500-DX9FA-04		Кросс:	97701-2Y600,F500-DX9EA-04
Техническая инф.:	PV5 Ø119, HCC VS14E, 4-point sideways fixation, 3 pin oval plug	Техническая инф.:	PV6 Ø119, HCC VS14E, 4-point sideways fixation, 3 pin oval plug		

	<b>9770138071</b>			<b>9770139181</b>	
	<b>Вес:</b>	6,6 кг.		<b>Вес:</b>	6,8 кг.
	<b>Применение:</b>	HYUNDAI Sonata IV 2.0i 16V EF 1998-2001, Sonata IV 2.0i 16V EF 2001-2004, Sonata IV 2.4i 16V EF 1998-2001, Sonata IV 2.5i V6 EF 1998-2001		<b>Применение:</b>	HYUNDAI Santa Fe I 2.0 SM 2001-2006, Santa Fe I 2.0 CRDi SM 2001-2006, Santa Fe I 2.7 SM 2001-2006, Trajet 2.0 CRDi FO 2001-2008, Trajet 2.7 V6 FO 2000-2008
	<b>Кросс:</b>	F500-QAVNA-01, 97701-38070, 97701-38071, BBWAB-02, BBWAB-03, BBWAB-04, BBWAB-05, BBWAB-07, BBWAB-08, BBWAB-09, F500-BBWAB-02, F500-BBWAB-03, F500-BBWAB-04, F500-BBWAB-05, F500-BBWAB-07, F500-BBWAB-08, F500-BBWAB-09, F500-QAVNA-02, F500-RPWAB-08, QAVNA-01, QAVNA-02, RPWAB-08		<b>Кросс:</b>	BBWBB-06, 97701-26200, 97701-26300, 97701-38170, 97701-38171, 97701-39180, 97701-39181, 97701-3A470, 97701-3A471, 97701-3A480, 97701-3A651, 97701-3A670, 97701-3A680, 97701-3A682, AJWBB-07, BBWBB-02, BBWBB-03, BBWBB-07, BBWBB-08, CAWAB-05, F500-AJWBA-07, F500-AJWBB-04, F500-AJWBB-06, F500-AJWBB-07, F500-AJWCA-03, F500-AJWCA-05, F500-AJWCB-02, F500-AJWCB-04, F500-AJWCB-05, F500-AJWCB-07, F500-BBWBB-02, F500-BBWBB-04, F500-BBWBB-06, F500-BBWBB-07, F500-BBWBB-08, F500-BFWBC-09, F500-CAWAB-05, F500-CAWAB-06, F500-CAWBA-01, F500-CAWBA-02, F500-CAWBA-03, F500-CAWBA-04, F500-CAWBA-05, F500-CAWBA-06, F500-CAWBA-07, F500-CAWBA-08, F500-MAXBA-01, F500-MAXBA-02, F500-MAXCA-01, F500-MAXCA-02, F500-NA5DB-02, F500-NA5DB-03, F500-NA5DB-04, F500-QBVDA-01, F500-QBVDA-02, MAXBA-01, QBVDA-01, QBVDA-02
<b>Техническая инф.:</b>	PV5 Ø124, HCC HS-17, 4-point fixation, dist. 1. groove to fixaton: 85mm	<b>Техническая инф.:</b>	PV6 Ø125, HCC HS-18, 4-point fixation sideways, square plug		
	<b>977013E000</b>			<b>977013E050</b>	
	<b>Вес:</b>	6,6 кг.		<b>Вес:</b>	6,4 кг.
	<b>Применение:</b>	KIA Sorento I 2.5 CRDi JC 2002-2003		<b>Применение:</b>	KIA Sorento I 2.5 CRDi JC 2004-2006
	<b>Кросс:</b>	97701-3E000, 16150-17700		<b>Кросс:</b>	97701-3E050, 12240-33300, 16250-23500, 4K501-0129
<b>Техническая инф.:</b>	PV7 Ø125, Doowon 10PA17C	<b>Техническая инф.:</b>	PV7 Ø115, Doowon 10PA17C		
	<b>977013E400</b>			<b>977013E600</b>	
	<b>Вес:</b>	6 кг.		<b>Вес:</b>	6 кг.
	<b>Применение:</b>	HYUNDAI Santa Fe I 2.0 2001-2006, Santa Fe I 2.0 CRDi 2001-2006, Santa Fe I 2.4 2001-2006, Trajet 2.0 16V 2000-2008		<b>Применение:</b>	KIA Sorento I 2.4 JC 2002-2009
	<b>Кросс:</b>	97701-3A571, 97701-26010, 97701-26011, 97701-3A570, 97701-3A580, 97701-3A581, 97701-3E400, F500-BP2AA-01, F500-MAXAA-01, F500-MAXAA-03, F500-MAXAA-04, MAXAA-01, MAXAA-03, MAXAA-04		<b>Кросс:</b>	97701-3E600, 13250-22400
<b>Техническая инф.:</b>	PV5 Ø125, HCC HS-18, 4-point fixation sideways	<b>Техническая инф.:</b>	PV5 Ø125, Denso 10PA17C 3-point fixation		
	<b>977013E801</b>			<b>977013K220</b>	
	<b>Вес:</b>	6 кг.		<b>Вес:</b>	6 кг.
	<b>Применение:</b>	KIA Sorento I 3.5 V6 JC 2002-2009		<b>Применение:</b>	HYUNDAI Santa Fe II 2.7 V6 2006-, Sonata V 2.0 VVTi 2005-2008, Sonata V 2.4 2005-2008, KIA Magentis II 2.0 2005-2008
	<b>Кросс:</b>	97701-3E801, 16250-25100, 26250-25100, 97701-3E800		<b>Кросс:</b>	F500-DC4BA-06, 97701-2B200, 97701-2B201, 97701-2B251, 97701-3K220, F500-BP8AA-01, F500-CG2CA-06, F500-DC4AA-03, F500-DC4AA-04, F500-DC4AA-06, F500-DC4AA-09, F500-DC4BA-03, F500-DC4BA-04, F500-DC4BA-07, F500-JY9AA-06, F500-MA5AA-05, F500-MA5BA-05, F500-MA5BA-08, F500-MA5BB-08, F500-MA9BA-06
<b>Техническая инф.:</b>	PV4 Ø110, Doowon 10PA17C, 4-point sideways fixation	<b>Техническая инф.:</b>	PV6 Ø119, HCC VS18, 4-point fixation, 1 pin male plug		
	<b>977013K520</b>			<b>977014A021</b>	
	<b>Вес:</b>	6 кг.		<b>Вес:</b>	6 кг.
	<b>Применение:</b>	HYUNDAI Sonata V 2.0 VVTi 2008-2009, Sonata V 2.4 2008-2009, KIA Magentis II 2.0 2008-2009		<b>Применение:</b>	HYUNDAI H-1 2.5 CRDi 2001-2002, H-1 2.5 D 2001-2007, H-1 2.5 TD 2000-2005, Starex 2.5 TD 2001-2007
	<b>Кросс:</b>	F500-DQ7AA-02, 97701-3K520, F500-DQ7AA-04		<b>Кросс:</b>	97701-4A370, 97701-4A021, 97701-4A071, 97701-4A300, F500-ACWAA-03, F500-QBVCA-03, F500-QBVCA-05
<b>Техническая инф.:</b>	PV6 Ø119, HCC VS16, 4-point fixation, 1 pin male plug	<b>Техническая инф.:</b>	PV1 Ø135, HCC HS-18, 4-point fixation sideways		
	<b>977014A151</b>			<b>977014A900</b>	
	<b>Вес:</b>	6,8 кг.		<b>Вес:</b>	8 кг.
	<b>Применение:</b>	HYUNDAI H-1 2.5 CRDi 2001-2002, H-1 2.5 D 2001-2007, H-1 2.5 TD 2000-2005, Starex 2.5 TD 2001-2007		<b>Применение:</b>	HYUNDAI H-1 2.5 CRDi 2001-2007, Starex 2.5 TD 2001-2007
	<b>Кросс:</b>	F500-QBVEA-04, 97701-47000, 97701-4A151, F500-QB97A-02, F500-QBVAA-03, F500-QBVAA-05, QB97A-02, QBVAA-05, QBVAB-02, QBVAB-04,		<b>Кросс:</b>	F500-QBVG-05, 97701-4A900, 97701-4A970, F500-JDXCA-02, F500-QBVG-03, F500-QBVG-04, F500-QBVG-05
<b>Техническая инф.:</b>	PV1 Ø135, HCC HS-15, 3-point fixation sideways	<b>Техническая инф.:</b>	PV7 Ø120, HCC HS-18, 4-point sideways fixation, round 1-pin connector		

	<b>BP4K61K00</b>			<b>BP4S61K00</b>	
	Вес:	5,8 кг.		Вес:	6 кг.
	Применение:	MAZDA 3 I 1.4 BK 2003-2008, 3 I 1.6 BK 2003-2008		Применение:	MAZDA 3 I 2.0 BK 2003-2009
	Кросс:	BP4K61K00B, BP4K-61-K00, BP4K-61-K00B BP4K61K00, H12A1AG4DY, H12A1AG4EW		Кросс:	H12A1AH4DX, BP4S-61-K00, BP4S61K00 H12A0BV4JX, H12A1AH4FX, H12A1AJ4EX
Техническая инф.:	PV6 Ø124, Panasonic, connections Ø13 and Ø16	Техническая инф.:	PV5 Ø99, Panasonic, 4-point sideways fixation		
	<b>EG2161K00</b>			<b>CC2961K00E</b>	
	Вес:	5,5 кг.		Вес:	6 кг.
	Применение:	MAZDA CX-7 2.3 MZR DISI Turbo ER 2007-2009		Применение:	MAZDA 3 I 2.0 2005-2009, 5 I 1.8 2005-2010, 5 I 2.0 2005-2010, 5 I 2.3 2005-2010
	Кросс:	EG21-61-450A, EG21-61-450B, EG21-61-450C EG21-61-K00, EG21-61-K00A, EG21-61-K00B EGY1-61-450, EGY1-61-K00, EGY1-61-K00A H12A1AL4A0, H12A1AL4A1, H12A1AL4HX		Кросс:	CC29-61-K00B, CC29-61-450G, CC29-61-K00 CC29-61-K00A, CC29-61-K00D, CC29-61-K00E H12A0BW4JZ, H12A1AJ4DZ, H12A1AJ4E2 H12A1AJ4EZ, H12A1AJE4EZ
Техническая инф.:	PV6 Ø100, Panasonic, 4-point fixation, 1-pin plug	Техническая инф.:			
	<b>EG2161K00</b>			<b>JP8500210</b>	
	Вес:			Вес:	6,6 кг.
	Применение:	MAZDA CX-7 2.3 MZR DISI Turbo ER 2007-2009		Применение:	LAND ROVER Range Rover III 4.2 V8 LM 2005-2009, Range Rover III 4.4 V8 LM 2002-2006
	Кросс:	EG21-61-450A, EG21-61-450B, EG21-61-450C EG21-61-K00, EG21-61-K00A, EG21-61-K00B EGY1-61-450, EGY1-61-K00, EGY1-61-K00A H12A1AL4A0, H12A1AL4A1, H12A1AL4HX		Кросс:	PXV16-8648, JP8500210, JP8500211, PXV16-8636
Техническая инф.:	PV6 Ø100, Panasonic, 4-point fixation, 1-pin plug	Техническая инф.:	PV6 Ø110, Sanden PXV16, 3-point fixation side way		
	<b>JP8500211</b>			<b>MR500007</b>	
	Вес:	6,6 кг.		Вес:	4 кг.
	Применение:	LAND ROVER Range Rover III 4.2 V8 LM 2005-2009, Range Rover III 4.4 V8 LM 2002-2006		Применение:	MITSUBISHI Carisma 1.8 GDI 2000-2006, Colt V 1.3 16V 2000-2005, Lancer VI 1.3 2000-2003, Lancer VII 1.3 2003-2007, Space Star 1.3 1998-2006, Space Star 1.8 GDI 1998-2006
	Кросс:	PXV16-8648, JP8500210, JP8500211, PXV16-8636		Кросс:	MR398278, AKC200A071, AKC200A072, MR500007
Техническая инф.:	PV6 Ø110, Sanden PXV16, 3-point fixation side way	Техническая инф.:	PV5 Ø95, Mitsubishi MSC60CN		
	<b>SD508</b>			<b>SD7H15</b>	
	Вес:	7,7 кг.		Вес:	7 кг.
	Применение:	SEAT Toledo I 1.6 1991-1998, Toledo I 1.8 1991-1998, Toledo I 1.9 D 1991-1998, Toledo I 1.9 TD 1991-1998, Toledo I 2.0 1991-1999; VW VOLKSWAGEN Golf II 1.0 1985-1992, Golf II 1.3 1983-1992, Golf II 1.6 1986-1992, Golf II 1.6 D 1983-1991, Golf II 1.6 TD 1983-1991 Golf II 1.8 1986-1992, Jetta II 1.3 1984-1992 Jetta II 1.6 1984-1992, Jetta II 1.6 D 1984-1992 Jetta II 1.6 TD 1984-1992, Jetta II 1.8 1984-1992, Passat 1.6 1988-1992, Passat 1.8 1988-1996, Passat 2.0 1990-1997, Passat 2.8 VR6 1991-1997		Применение:	ALFA ROMEO Alfa 155 1.7 8V T.SPARK 1993-1996, Alfa 155 1.8 16V T.SPARK 1992-1996, Alfa 155 2.0 16V T.SPARK 1995-1998, Alfa 164 2.0 T.SPARK 1992-1998, Alfa 164 2.0 V6 Turbo 1991-1998, Alfa 164 3.0 V6 12V 1992-1998
	Кросс:	SD508-9533, 191820805, 191820805A, SD508-9288, SD508-592883		Кросс:	60513513, 60592127, 60600702, 550222700, SD709-7439, SD709-7548, SD709-7600, SD7H15-7837
Техническая инф.:	2-Gr. Ø130, Sanden SD508, 2-pin T-shaped plug, 2-Gr. Ø130, Sanden SD508, 2-pin T-shaped plug, 4 x double fixation	Техническая инф.:	PV5 Ø135, Sanden SD709/SD7H15, 8-point fixation; PV5 Ø135, Sanden SD709/SD7H15, 8-point fixation, threaded connections		

		<b>SD7V16</b>				<b>TRSE07</b>		
	<b>Вес:</b>	6,9 кг.			<b>Вес:</b>	6 кг.		
	<b>Применение:</b>	ALFA ROMEO Alfa 145 1.4 16V T.SPARK 1996-2001, Alfa 145 1.6 16V T.SPARK 1996-2001, Alfa 145 1.8 16V T.SPARK 1998-2001, Alfa 145 1.9 TD 1994-1999, Alfa 145 2.0 16V T.SPARK 1995-2001, Alfa 146 1.6 16V T.SPARK 1996-2001, Alfa 146 1.8 16V T.SPARK 1998-2001, Alfa 146 1.9 TD 1995-1999, Alfa 146 2.0 16V T.SPARK 1995-2001, Alfa 147 1.6 16V T.SPARK 2000-2010, Alfa 147 1.9 JTD 8V 2001-2005, Alfa 147 1.9 JTD 16V 2004-, Alfa 147 2.0 16V T.SPARK 2000-, Alfa 156 1.6 16V T.SPARK 1997-2000, Alfa 156 1.8 16V T.SPARK 1997-2005, Alfa 156 1.9 JTD 16V 1997-2005, Alfa 156 2.0 16V T.SPARK 1997-2005, Alfa 166 2.0 16V T.SPARK 1998-2000, Alfa GT 1.8 T.SPARK 2003-, Alfa GT 1.9 JTD 2003-, Alfa GT 2.0 JTS 2003-, Alfa GTV 1.8 16V T.SPARK 1998-2001, Alfa GTV 2.0 16V T.SPARK 1995-1998, Alfa GTV 2.0 V6 Turbo 1995-2001, Alfa GTV 3.0 V6 24V 1996-2005, Alfa Spider 1.8 16V T.SPARK 1998-2001 ;FIAT Barchetta 1.8 1995-2001, Barchetta 1.8 1995-2001, Brava 1.8 GT 16V 1995-2001, Bravo I 1.8 GT 1995-2001, Bravo I 2.0 HGT 20V 1995-2001, Coupé 1.8 16V 1996-2000, Marea 1.8 16V 1996-2005, Marea 1.9 TD 1999-2002, Multipla 1.9 JTD 1998-2000, Stilo 1.8 16V 2001-2007, LANCIA Dedra 1.8 16V 1996-1999, Lybra 1.8i 16V 1999-2006, Lybra 1.9 JTD 1999-2006, Lybra 2.4 JTD			<b>Применение:</b>		HONDA Civic VIII 1.8 FD FN FK 2006-2012	
	<b>Кросс:</b>	60610275,60653652,60814396,71721751 SD7V16-1157,SD7V16-1157F,SD7V16-1174			<b>Кросс:</b>	38800-RSA-E010-M2,38800-RNA-E010 38800-RNC-Z010,38800-RNC-Z020-M2 38810-RNA-004,38810-RNA-014,38810-RSA-E01,38810-RSA-E03,TRSE07-3408,TRSE07-3410 TRSE07-3429,TRSE07-3430,TRSE07-30A,TRSE07-3439,TRSE07-4903,TRSE07-4905 TRSE07-4905J,		
	<b>Техническая инф.:</b>	PV6 Ø130, Sanden SD7V16, 1-pin round connector, 4-point fixation			<b>Техническая инф.:</b>	PV7 Ø100, Sanden TRSE07, 4-point sideways fixation, 1pin plug		
		<b>OK2KB61450 KIA</b>						
	<b>Вес:</b>							
	<b>Применение:</b>							
	<b>Кросс:</b>	OK2KB61450,97701-2D600,97701-2E500,977011D500,977012D600,977012E500 8FK351273191,15159,8634204,15159,32200 CMP2030130,1604013500,351273191						
	<b>Техническая инф.:</b>							